Allergy/Immunology Order Form



Fax completed form to:

PATIENT INFORMATION				
Patient Name:	Date of Birth:		Referral Date:	
Address:	·		City/State/Zip:	
Home Phone:	Cell Phone:		Work Phone:	
Secondary Contact:	Height:	Weight:	Male Female	
Patient Diagnosis & ICD-10:				
Allergies:				
PROVIDER INFORMATION				
Physician Name: Lic.#:			DEA #:	
Practice Name:		NPI#:		
ddress:		City/State/Zip:		
Office Contact: Phone:		Fax:		
Supervisory Physician (if applicable):				
PLEASE ATTACH				
Patient demographics & front/back copy of all insurance cards (prescription & medical) Recent office visit notes, history & physical, lab & pertinent procedure results Current medication list & list of prior medications tried and failed (with dates)				nes
NURSING & LAB ORDERS				
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.				
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mLOR 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line				
Lab Orders:				
Lab Date & Frequency:				
PRESCRIPTION ORDERS				
Anaphylaxis Kit: Epinephrine 0.3mg IM as needed Solu-cortef 250mg-500mg IV as needed Solu-Medrol 60mg - 125mg IV as needed				
(Check all that apply) Diphenhydramine mg IV as needed NS Hydration 500 ml IV over 30 minutes as needed Other				25mg tv as needed
Pre-Medications: Acetaminophenmg P0minutes prior to infusion Solu-Medrolmg IVminutes prior to infusion				
(Check all that apply) Diphenhydramine mq PO OR IV minutes prior to infusion Other				
Check all that apply) Dipnennyoraminemg POOK IVminutes prior to initiation Other Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary Other				
PRODUCT PRESCRIPTION INFORMATION REFILLS				
				REFILLS
Is this a first dose? Yes No If No, when was last dose given?When is patient due for next dose?				
CINQAIR 3mg/kg IV infusion vi	3mg/kg IV infusion via gravityOR pump once every 4 weeks over 20-50 minutes			
FASENRA Induction: 30mg	SubQ injection every 4 weeks for the first 3 dose	es		NONE
Maintenance: 30mg SubQ injection once every 8 weeks				
100mg SubQ injection every 4 weeks				
NUCALA 300mg SubQ injection every 4 weeks				
XOLAIRmg SubQ injection everyweeks				
IG For Immunoglobulin therapy please refer to IG Order Form				
OTHER				
By signing this form and utilizing our services, you are authorizing Eventus to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.				

Prescriber's Signature <u>Dispense as Written</u> Print Name

Date

Prescriber's Signature Substitution Permitted Print Name

Date

