

# Krystexxa Order Form

Fax completed form to: \_\_\_\_\_



| PATIENT INFORMATION         |                |                 |             |
|-----------------------------|----------------|-----------------|-------------|
| Patient Name:               | Date of Birth: | Referral Date:  |             |
| Address:                    |                | City/State/Zip: |             |
| Home Phone:                 | Cell Phone:    | Work Phone:     |             |
| Secondary Contact:          | Height:        | Weight:         | Male Female |
| Patient Diagnosis & ICD-10: |                |                 |             |
| Allergies:                  |                |                 |             |

| PROVIDER INFORMATION                   |        |                 |
|--|--------|-----------------|
| Physician Name:                        | Lic.#: | DEA #:          |
| Practice Name:                         |        | NPI#:           |
| Address:                               |        | City/State/Zip: |
| Office Contact:                        | Phone: | Fax:            |
| Supervisory Physician (if applicable): |        |                 |

| PLEASE ATTACH  |  |
|--|--|
| Patient demographics & front/back copy of all insurance cards (prescription & medical)<br>Recent office visit notes, history & physical, lab & pertinent procedure results<br>Current medication list & list of prior medications tried and failed (with dates)<br>G6PD deficiency results<br>Verification that patient has discontinued or plans to discontinue oral urate lowering medications | Evidence of patient on concurrent immunomodulation therapy such as: methotrexate, mycophenolate, leflunomide, azathioprine, or cyclosporine (Evidence supports the combination of Krystexxa and an immunomodulator in improving the patient's response to therapy; consider adding an immunomodulator if clinically appropriate.)<br><br>Baseline serum Uric Acid lab results<br>Letter of medical necessity if drug dosing or indication is outside of FDA guidelines |

| NURSING & LAB ORDERS  |
|---|
| <b>Nurse Orders:</b> Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.<br><b>Flush Orders:</b> NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mL ---OR--- 100units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line<br><b>Lab Orders:</b><br><b>Lab Date &amp; Frequency:</b> |

| PRESCRIPTION ORDERS     |  |  |  |
|-------------------------|--|--|--|
| <b>Anaphylaxis Kit:</b> | Epinephrine 0.3mg IM as needed   | Solu-cortef 250mg-500mg IV infusion as needed                    | Solu-Medrol 60mg - 125mg IV infusion as needed |
| (Check all that apply)  | Diphenhydramine _____ mg IV infusion as needed   | NS Hydration 500 ml IV infusion over 30 minutes as needed        | Other _____                                    |
| <b>Pre-Medications:</b> | Per prescribing information: Pre-medications of antihistamine, corticosteroid and analgesic is recommended |  |  |
| (Check all that apply)  | Acetaminophen _____ mg PO _____ minutes prior to infusion  | Solu-Medrol _____ mg IV infusion _____ minutes prior to infusion |  |
|                         | Diphenhydramine _____ mg PO ---OR--- IV infusion _____ minutes prior to infusion                           | Other _____  |  |

**Supply Orders:** All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary

| PRODUCT                      | PRESCRIPTION INFORMATION  | REFILLS |
|------------------------------|---|---------|
| Is this a first dose? Yes No | If No, when was last dose given? _____ When is patient due for next dose? _____   |         |
| Krystexxa                    | 8mg IV infusion via gravity or pump over at least 2 hours every 2 weeks<br><input checked="" type="checkbox"/> After first infusion, patient to have sUA level performed within 48 hours prior to each infusion.<br><b>For KVO: NS 100mL via IV infusion over 1 hour.</b><br>If sUA is ≤ 6mg/dL, proceed.<br>If sUA is > 6mg/dL, hold & contact provider. | _____   |
| OTHER                        |   | _____   |

*By signing this form and utilizing our services, you are authorizing Amerita to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.*

Prescriber's Signature \_\_\_\_\_  
 Dispense as Written \_\_\_\_\_  
 Print Name \_\_\_\_\_  
 Date \_\_\_\_\_

Prescriber's Signature \_\_\_\_\_  
 Substitution Permitted \_\_\_\_\_  
 Print Name \_\_\_\_\_  
 Date \_\_\_\_\_



ACHC ACCREDITED

