TEPEZZA® Order Form

EVENTUS ENFUSION

Fax completed form to:

DIFFERENCE INTERPRETATION.						
PATIENT INFORMATION						
Patient Name:		Date of Birth:			Referral Date:	
Address:	C-II Di			City/State/Zip:		
Home Phone:		Cell Phone:	W · L		Work Phone:	
Secondary Contact:	110.	Height:	Weight:		Male Female	
Patient Diagnosis & ICD-10: Allergies:						
PROVIDER INFORMATION						
Physician Name: Lic.#:				DEA #:		
Practice Name:				NPI#:		
Address:			City/State/Zip:			
Office Contact:	(P. 11.)		Fax:			
Supervisory Physician (if applicable):						
PLEASE ATTACH						
Patient demograph Recent office visit n Current medication History of IBD docul Diabetic documenta Prior treatments for	Documentation of lid ret Documentation of propto	Thyroid lab results Notes detailing if mild or moderate TED Occumentation of lid retraction of 2 or more millimeters or Occumentation of proptosis of 3 millimeters or more Letter of medical necessity if drug dosing or indication is outside of FDA guidelines or if patient is receiving				
NURSING & LAB ORDERS						
Nurse Orders: Nurse to provide assessment, teaching, lab draws, medication administration and vascular access device insertion and/or management per physician orders.						
Flush Orders: NaCl 0.9% - 5-10mL flush pre and post infusion and as needed Heparin - 10units/mL0R 10units/mL - 3-5mL flush after post-infusion NS flush if indicated to maintain line						
Routine/Standing Lab Orders: (attach if needed) Blood glucose test every infusion(s). Pregnancy test prior to each infusion if childbearing age.						
Lab Orders:						
Lab Date & Frequency:						
PRESCRIPTION ORDERS						
Anaphylaxis Kit: (Check all that apply)	Epinephrine 0.3 mg IM as needed Solu-cortef 250 mg-500 mg IV infusion as needed Solu-Medrol 60 mg - 125 mg IV infusion as needed Other					
Pre-Medications: Acetaminophenmg POminutes prior to infusion Solu-Medrolmg IV infusionminutes prior to infusion (Check all that apply) Diphenhydraminemg POOR IV infusionminutes prior to infusion Other						
Supply Orders: All supplies for vascular access line care, drug administration kit(s), pump, and IV pole will be provided as necessary						
PRODUCT		PRESCRIPTI	ON INFORMATI	ON		REFILLS
Is this a first dose? Yes No If No, when was last dose given? When is patient due for next dose?						
TEPEZZA	INDUCTION: 10mg/kg IV infusion via gravity OR pump over 90 minutes for one time dose					NONE
	MAINTENANCE: Maintenance: 20mg/kg IV infusion via gravity OR pump over 60 to 90 minutes every 3 weeks for 7 additional infusions					NONE
	Administer the diluted solution intravenously over 90 minutes for the first two infusions. If well tolerated, the minimum time for subsequent infusions can be reduced to 60 minutes. If not well tolerated, the minimum time for subsequent infusions should remain at 90 minutes.					
OTHER						
By signing this form and utilizing our services, you are authorizing Eventus to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies.						
Prescriber's Signature Dispense as Written	Print Name	Date	Prescriber's Signa Substitution Perr		Print Name	Date





